



सुनवर्षी नगरपालिका

नगर कार्यपालिकाको कार्यालय

प.सं. २०८२/८३

च.नं.



कोशी प्रदेश, नेपाल

ब्याक हो लोडर खरिद सम्बन्धी सूचना

(प्रथम पटक प्रकाशित मिति २०८२/११/१५)

यस नगरपालिकाको लागि देहाय बमोजिमको ब्याक हो लोडर खरिद गर्नुपर्ने भएकोले सार्वजनिक खरिद ऐन, २०६३ को दफा ८ को उपदफा (१) तथा सार्वजनिक खरिद नियमावली २०६४ को नियम ३१ (ख) बमोजिम सवारी साधन उत्पादन कम्पनी वा सो को आधिकारीक विक्रेता बीच मात्र प्रतिस्पर्धा गराउने (क्याटलग सपिङ्ग) विधिबाट खरिद गर्नुपर्ने भएकोले सार्वजनिक खरिद नियमावली, २०६४ को नियम ३१ (ख) को उपनियम २ अनुसार देहाय बमोजिमको सवारी साधन विक्रि गर्न चाहाने उत्पादक कम्पनी वा आधिकारीक विक्रेताहरूले स्पेसिफिकेसन, गुणस्तर, ,मुल्य र सुबिधा सहितको विवरण (सम्बन्धित कम्पनीको वेबसाईट वा कागजात (ब्रोसर)मा अनिवार्य रुपमा सार्वजनिक गराएको हुनुपर्नेछ) संलग्न राखि यो सूचना प्रकाशित भएको मितिले १५(पन्ध्र) दिनभित्र यस कार्यालयमा निवेदन दर्ता गर्नु हुन सम्बन्धित उत्पादक कम्पनी वा सो को आधिकारीक विक्रेताहरूको जानकारीका लागि यो सूचना प्रकाशित गरिएको छ।

ब्याक हो लोडर को विवरण

S. No.	Type of Vehicle	Quantity	Requirement (General Specification)
01	Backhoe Loader	1 (One)	As Mentioned in technical specification below

प्राविधिक प्रस्ताव खोल्नु पूर्वको बैठक मिति: २०८२/११/२५ गते दिनको १३:०० बजे

स्थान: पूर्वाधार विकास शाखा, सुनवर्षी नगरपालिका।


प्रमुख प्रशासकीय अधिकृत

Handwritten signature

सिद्धि मॉडिया
निजी निर्यात अर्ज



Technical Specification: Backhoe Loader

Handwritten signature
प्रमुख प्रशासकिय अधिकृत

Sn	Item	Required Specification	Offered Specification
1	Engine	4-cylinder, turbocharged, water-cooled diesel engine 96 HP @ 2200 rpm	
2	Maximum Torque	Minimum 400 Nm @ 1400 rpm	
3	Transmission	Synchro shuttle transmission with torque converter, 4 forward & 4 reverse speeds, max speed 40 kmph	
4	Front Axle	Drive and steer axle (for 4WD), centrally pivoted	
5	Rear Axle	Rigid axle with CARRARO planetary drive	
6	Steering	Hydrostatic steering system for better control	
7	Braking System	Hydraulically actuated wet disc brakes with twin pedals and mechanical parking brake	
8	Cabin	ROPS fully enclosed wide view cabin with easy entry and exit	
9	Hydraulic System	Main pump flow minimum 118 lpm with relief pressure of 225 bar	
10	Electrical System	12V electrical system with negative earth and suitable alternator	
11	Operating Weight	Approx. 8040 kg	
12	Turning Radius (Without Brake)	Maximum 4.4 metres	
13	Turning Radius (With Brake)	Maximum 3.5 metres	
14	Fuel Tank Capacity	Minimum 150 litres	
15	Hydraulic Tank Capacity	Minimum 90 litres	
16	Engine Oil Capacity	Approx. 11.5 litres	
17	Transmission & Torque Converter Oil	Approx. 17 litres	
18	Rear Axle Oil (Planetary Gear Box)	Approx. 3 litres	
19	Differential Housing Oil	Approx. 14.5 litres	

Handwritten mark

Handwritten signature
2082/101
NEC Reg No.- 3307 "Mechanical"
Category - 'A'

Handwritten signature/initials at the top left of the page.



Handwritten signature/initials in red ink at the top right of the page.

20	Tyres – Front (4WD)	12.5/80–18, 12 PR	
21	Tyres – Rear (Standard)	16.90–28, 12 PR	
22	Optional Equipment	6-in-1 loader bucket, rock breaker, excavator bucket (0.09/0.12/0.30 cu.m), AC cabin, telematics	
23	maintenance and service	The manufacturer or authorized dealer shall provide free after-sales service for a minimum period of one year or 2000 hours 1 years	

प्रमुख प्रशासकिय अधिकृत

Handwritten signature/initials in black ink.

Er. Dilip Kumar Mandal
NECRgt No.:- 3307 "Mechanical"
Category - 'A'

Handwritten checkmark in red ink.